

Nesilden Nesile Topalahmet Mamülleri ile...

With Topalahmet Finished Products from Generation to Generation

مع معمولات توبال احمد جيلا بعد جيلا



SEMI-CENTURY EXPERIENCE

تجربة نصف قرن



nurak

MAKİNA ve TARIM ALETLERİ ASKERİ EKİPM. İML. İÇ ve DIŞ TİC. LTD. ŞTİ.
MACHINES AND MILITARY EQUIPMENTS IND. AND TRADE LTD. CO.

www.nur-akmakina.com.tr



TOPALAHMET

MAKİNA VE TARIM ALETLERİ SANAYİ VE TİCARET A.Ş.

TOPALAHMET MACHINES AND AGRICULTURE TOOLS INDUSTRY AND TRADE INC. CO.

www.topalahmet.com.tr

Firmamızın Kurucusu Babamız A. MEHMET ECE 1922 yılında Kayseri’de doğmuştur. Aslen Erzurumludur. 1935-1945 yıllar arasında MKE Kurumu fabrikalarının kuruluşunda ve demir yollarında çalışmıştır.

1945 yılından itibaren motosiklet-bisiklet tamir ve taşımacılığı yapmış ve böylece sanayiciliğe ilk adımı atmıştır. Daha sonra torna tezgahı ile bijon ve akis imalatına başlamıştır.

1952 yılında geçirdiği trafik kazası sonrasında sol ayağının kesilmesi ona yıllarca “Topalahmet” diye hitap edilmesine neden olmuştur. Ancak ayağından mahrum kalması O’nu hayata küstürmemiş aksine çalışma heyecanı ve azmini daha da güçlendirmiştir. O yıllarda Türkiye’de kullanılan Avrupa Römorklar dikkatini çekmiş ve imalatını yapmak amacıyla küçük bir atölye kurmuştur. Zaman içinde yenileyip ve geliştirdiği atölyesinde ürettiği Römorklar, önce bölgede, sonraları tüm Türkiye’de kullanılır ve aranır olmuştur.

4’ü erkek 9 çocuk yetiştirmiş ve 29 Ocak 1985’te vefat etmiştir. Ruhu şad olsun.



Topalahmet
(1922-1985)

Nesilden Nesile
Topalahmet Mamülleri İle



TOPALAHMET
MAKİNA VE TARIM ALETLERİ SANAYİ VE TİCARET A.Ş.

Our father A. MEHMET ECE being the Founder of Our Firm had been born in Kayseri in year 1922. Originally, he comes from Erzurum. During years between 1935 – 1945, he has worked the operations of MKE (Machinery – Chemistry Institution) and at railroads.

Starting from the year 1945, he has been in activity of repair and transportation of motorcycle – bicycle and thus has taken the first step towards to become industrialist. Later on, he has begun manufacturing the wheel bolt and axle by the bench lathe.

The amputation of his left leg following a traffic accident he had undergone in year 1952, it has resulted in himself to be addressed as “Topalahmet” (Lame Ahmet) for years. However, having been deprived of his leg has not caused him to become weary of life, instead, has strengthened his working enthusiasm and determination much more. During those years, the European Trailers used in Turkey has attracted his attention and has established a small workshop in order to manufacture it. In time, the Trailers he had produced upon renovation and development of his workshop has become used and looked for firstly within the region and afterwards the entire Turkey.

He has raised 9 children, 4 of whom are male and has died on 29 January 1985. May his spirit be rejoiced.

ولد والدنا مؤسس شركتنا احمد محمد أجه في عام 1922 في محافظة قيصري. موطنه الاصلي محافظة أرضروم. عمل خلال اعوام 1935- 1945 في معامل مؤسسة الصناعات الميكانيكية والكيميائية وعمل أيضا في الخطوط الحديدية. عمل اعتبارا من عام 1945 في تصليح ونقل الدراجات العادية والدراجات النارية وهكذا خطى اول خطوة في مجال الصناعة. بعد ذلك بدأ بصناعة البراغي والعكوس بواسطة منصة الطورنو.

وفي عام 1952 فقد رجله الايسر قطعاً بعد حادث مرور ومنذ ذلك الحادث كان يخاطب بلقب توبال احمد (احمد الاعرج). الا ان بقائه محروما من رجله لم يقطع امله بالحياة بالعكس ازدادت عزيمته وازداد شوقه نحو الحياة. في تلك السنوات لفت نظره المقطورات الاوربية التي كانت تستخدم في تركيا مما أدى الى قيامه بتأسيس ورشة صغيرة بهدف صناعة المقطورات. ومع مرور الزمن انتشر استخدام مقطوراته التي انتحه في ورشته المتجددة والمتطورة بشكل مستمر في جميع انحاء تركيا.

توفي والدنا المرحوم بتاريخ 29 كانون الثاني 1985 بعد ربي 9 أولاد من بينهم 4 ذكور. رحمة الله عليه.

Zor dönemlerde sabır ve özveri ile çalışan bizleri de deneyimleri ile güçlendiren saygıdeğer babamızın kurduğu TOPALAHMET şirketini Anonim şirket haline getirdik.

1985 yılından itibaren üretim tesislerimizde teknolojik yenilemeye ağırlık verilmiştir. Yüzyılımızın başında 12.000 m² kapalı, 13.000 m² açık alana sahip entegre tesislerimizde birçok yeni mamül yapılmaya başlanmıştır. Kuruluşumuzdan bu yana ağırlıklı üretim kalemimizi oluşturan tarım aletleri, (Römork ve S Tankerleri) 25 çeşite ulaştırılmış, tip ve tonaj kapasitelerine göre çok farklı amaçlara hizmet eden geniş bir ürün yelpazesi oluşturulmuştur. Bütün mamüllerimiz seri ve yüksek standartlı üretim otomasyonuna kavuşturulmuştur.

Tevsi yatırımlarımızla Tesislerimizde 1992 yılı başlarından itibaren Savunma sanayi araç gereçleri (Askeri amaçlı) imalatına başlanmıştır. Önümüzdeki yıllarda Askeri araç gereç imalatına daha fazla ağırlık verilecektir.

Asgari 20 yıl çalışması düşünülerek üretilen Römorklarımız, çeşitli Üniversitelerin tarımsal mekanizasyon bölümlerince teknik yeterlilik ve performans testlerinden geçirilmiştir. Tüm ürünlerimize Sanayi Bakanlığınca "imalata yeterlilik ve Standartlara uygunluk belgesi" verilmiştir. Ayrıca çeşitli tipdeki mamüllerimize TSE tarafından "İmalatta Yeterlilik Belgesi" verilmiştir.

"Milli Ekonomimizin Temeli Ziraattir" ilkesinden hareketle ve Nesilden nesile bol ürün kolay hasat sloganı ile 56 yıldır Türk çiftçisine hizmet veren firmamız yukarıda belirttiğimiz alanlarda da üretime geçerek Yüce Türk Milletine daha kaliteli ürünler ve daha iyi hizmet sunmaktan kıvanç duyuyoruz.

Ürününüz bol, hasadınız bereketli olsun.

Saygılarımızla.

Yönetim Kurulu Başkanı

İ. Hakkı ECE

Not: Mamüllerimiz Türkiye genelinde Tarım Kredi Kooperatiflerinden, Ziraat Bankalarından ve bayilerimizden temin edilebilir.

We have converted the small workshop our venerable father had established, who has energized also us with its experience while working with patience and self-sacrifice during hard periods, into an Incorporated Company under the name of Topalahmet.

Starting from year 1985, the technologic renovation has gained importance at our production facilities. At the beginning of our current century, a lot of new begun to be made at our integrated plants which occupy a 12.000 m² indoor and 13.000 m² outdoor spaces. Ever since our establishment, the agricultural tools which used to form our dominant production item (trailers and water tanks) has reached at the rage of 25 varieties thus based on type and tonnage capacities, a wide range of products serving for very distinct purposes has been accomplished.

All our finished products have been caused to be reunited with a serial and high-standard production automation.

With our enlargement investments, manufacturing defense industrial vehicle supplies (military-purposes) has been initiated at our facilities starting from year 1992. During the years to come, much more importance shall be paid to the manufacturing the military vehicle supplies.

Our Trailers produced considering it would be operation at least for 20 years have been passed through technical efficiency and performance tests by the agricultural mechanization departments of various Universities. "A certificate for manufacturing efficiency and compliance with the Standards" granted for all of our products by the Ministry of Industry. Furthermore, "Certificate of Qualification in Manufacturing" has been granted by TSE (Turkish Standards Institute) four our finished products in various types.

Starting from the principle "The Fundamental of National Economy is the Agriculture" and with the slogan abundant product, easy harvest from generation to generation, our firm which has been rendering service to Turkish farmers for 54 years is proud of offering products in higher quality and better service to Exalted Turkish Nation starting the production also in the fields we have stated above.

May your crops be abundant and your harvest be fruitful.

Sincerely yours,

Chairman of Management Board

İ. Hakkı ECE

Note: Our finished products may be purchased from Agricultural Credit Cooperatives existing Turkey-wide.

وقد قمنا بتأسيس الشركة المساهمة باسم توبال احمد نتيجة الدعم المقدم لنا من قبل والدنا المرحوم في ورشته من خلال تجاربه وعمله وصبره وتضحياته في الظروف الصعبة التي عاشها.

منح اهتماما كبيرا للتجديد التكنولوجي في منشأتنا الانتاجية اعتبارا من عام 1985. تمت المباشرة في بداية قرنا الحالي بانتاج العديد من المعمولات الجديدة في مجموعة طاقم المنشآت التي تأسست على ارض انشائية مساحتها 12.000 متر مربع وارض مفتوحة بمساحة قدرها 13.000 متر مربع. وصل انتاجنا الذي تشمل الآلات الزراعية فيها نسبة كبيرة الى 25 نوعا من المقطورات والصهاريج. وعليه فقد تم تأسيس نوعيات انتاجية واسعة للخدمة لغايات مختلفة حسب النوع وسعة الوزن. وصل انتاج معمولاتنا الى افضل مستوى من المواصفات والانتاج المستمر. نتيجة توسيع استثمار اتنا تم البدء بانتاج الآلات والمعدات الدفاعية الصناعية (لأهداف عسكرية) في منشأتنا اعتبارا من أوائل عام 1992. وسيتم منح ثقل اكثر الى صناعة الآلات والمعدات العسكرية خلال السنوات القادمة.

أنتجت مقطورتنا على ان تعمل على مدى 20 عاما على الأقل. تمت المصادقة على فعالية وكفاءة مقطورتنا من قبل العديد من الاقسام الزراعية والميكانيكية في الجامعات. منحت "شهادة الكفاءة والمطابقة مع المواصفات" لجميع منتجاتنا من قبل وزارة الصناعة. بالإضافة الى ذلك تم منح شهادة الكفاءة الصناعية من قبل معهد المواصفات التركية لمعمولاتنا من مختلف الانواع.

تقدم شركتنا الى الفلاح التركي خدماتها منذ 54 سنة انطلاقا من مبدأ "الزراعة أساس الاقتصاد الوطني" وشعار "محصول وفير وحصاد سهل من جيل الى جيل". نعتز بتقديم اجود المنتجات وافضل الخدمات

في المجالات الانتاجية التي فصلناها اعلاه الى شعبنا العزيز.

انتاجا وافرا وحصادا مباركا.

مع فائق الاحترام.

رئيس الهيئة الادارية

ا. حقي أجه

ملاحظة: يمكنكم تأمين منتجاتنا و معمولاتنا من جميعات القروض الزراعية في عموم تركيا.

Tek Dingilli Sac Kasa Damperli/Dampersiz Az Tonajlı Römork

Low capacity trailers, single axle, metal plate body with/without dumper

مقطورات قلابية – غير قلابية مصنوعة من الصاج ذات محور أحادي خفيفة الوزن



TEKNİK ÖZELLİKLER

Bahçe içinde kullanılabilir.

Ağaç aralarında rahat hareket edebilir.

Zeytin, meyva ve sebze kasalarına göre üretilmiştir.

Kasa ilavesi isteğe göre yapılır.

TECHNICAL SPECIFICATIONS

Usable within the garden.

Easy maneuvering capability amongst the trees.

Manufactured according to olive and vegetable cases.

Case addition is made upon request.



TP10100	0.5 ton	2000x1300x300mm kasa ebadlı 600x16 lastikli
TP10110	1 ton	2300x1300x300mm kasa ebadlı 650x16 lastikli
TP10120	1.5 ton	2500x1700x300mm kasa ebadlı 750x16 lastikli
TP10130	2.5 ton	2700x1700x300mm kasa ebadlı 750x16 lastikli

TP10100	0.5 ton	rated capacity with case dimensions; 2000x1300x300mm over tyre size 600x16
TP10110	1 ton	rated capacity with case dimensions; 2300x1300x300mm over tyre size 650x16
TP10120	1.5 ton	rated capacity with case dimensions; 2500x1700x300mm over tyre size 750x16
TP10130	2.5 ton	rated capacity with case dimensions; 2700x1700x300mm over tyre size 750x16

Tek Dingilli Sac Kasa Tonajlı Damperli Römork

High capacity trailers, single axle, metal plate body with dumper

مقطورات قلابية مصنوعة من الصاج ذات محور أحادي خفيفة الوزن



TOPALAHMET
MAKİNA VE TARIM ALETLERİ SANAYİ VE TİCARET A.Ş.



TEKNİK ÖZELLİKLER

Lastik	: 900x16 / 11.5x80x15.3
Piston	: 640 mm 2 kademe
Ok	: Dönerli
Kriko	: Dönerli ve ayarlanabilir
Fren Tertibatı	: Mekanik fren sistemi (park halinde) Hidrolik fren sistemi (yağlı) Oktan çarpma fren sistemi Havalı (pnömatik) fren sistemi


TECHNICAL SPECIFICATIONS

Tyre size	: 900x 16 / 11.5x80x15.3
Piston size	: 640 mm, 2 staged type
Towing Eye	: Rotary
Jack	: Rotary and adjustable
Brake Mechanism:	Mechanical brake system (in parked position) Hydraulic brake system (oiled) Axle - hit brake system Pneumatic brake system

TP10140	3 ton	2900x1800x380mm kasa ebadlı (300mm ilaveli)
TP10150	3.5 ton	3000x1800x380mm kasa ebadlı (300mm ilaveli)
TP10160	4 ton	3200x1900x420mm kasa ebadlı (300mm ilaveli)

TP10140	3 ton	rated capacity with case dimensions; 2900x1800x380mm (with 300mm enlarging)
TP10150	3.5 ton	rated capacity with case dimensions; 3000x1800x380mm (with 300mm enlarging)
TP10160	4 ton	rated capacity with case dimensions; 3200x1900x420mm (with 300mm enlarging)





TOPALAHMET
MAKİNA VE TARIM ALETLERİ SANAYİ VE TİCARET A.Ş.

Tek Dingilli Sac Kasa Yeni Tip Damperli Römork

New type trailers, single axle, metal plate body with dumper
مقطورات قلابية مصنوعة من الصاج ذات محور أحادي نوع جديد



TEKNİK ÖZELLİKLER

Lastik	: 125x80x15.3 • 305x70x19.5 • 400x60x15.5 tubeless
Piston	: 720 mm 2 kademe • 660 mm - 3 kademe Krom kaplama
Ok	: Ayarlı ve dönerli
Kriko	: Şanzımanlı
Fren Tertibatı	: Mekanik fren sistemi (park halinde) • Hidrolik fren sistemi (yağlı) Oktan çarpma fren sistemi • Havalı (pnömatik) fren sistemi
Arka Kapak	: Çok fonksiyonlu

TECHNICAL SPECIFICATIONS

Tyre size	: 125x80x15.3 • 305x70x19.5 • 400x60x15.5 tubeless
Piston size	: 720 mm, 2 - staged type • 660 mm, 3 staged type Chromium plated
Towing Eye	: Rotary and adjustable type
Jack	: Transmission type
Brake Mechanism	: Mechanical brake system (in parked position) Hydraulic brake system (oiled) Axle - hit brake system • Pneumatic brake system
End Cover	: Multi-functional

TP10170	5 ton	3500x2000x500mm kasa ebadlı (300+300mm ilaveli)
TP10180	6 ton	3700x2100x600mm kasa ebadlı (300+300mm ilaveli)
TP10190	8 ton	3800x2200x700mm kasa ebadlı (350+350mm ilaveli)

TP10170	5 ton	rated capacity with case dimensions; 3500x2000x500mm (with 300+300mm enlargement)
TP10180	6 ton	rated capacity with case dimensions; 3700x2100x600mm (with 300+300mm enlargement)
TP10190	8 ton	rated capacity with case dimensions; 3800x2200x700mm (with 350+350mm enlargement)



Tek Dingilli Sac Kasa Yeni Tip Damperli Römork

New type trailers, single axle, metal plate body with dumper
مقطورات قلابية مصنوعة من الصاج ذات محور أحادي نوع جديد



TEKNİK ÖZELLİKLER

Lastik	: 125x80x15.3 • 305x70x19.5 • 400x60x15.5 tubeless
Piston	: 720 mm 2 kademe • 660 mm - 3 kademe Krom kaplama
Ok	: Ayarlı ve dönerli
Kriko	: Şanzımanlı
Fren Tertibatı	: Mekanik fren sistemi (park halinde) • Hidrolik fren sistemi (yağlı) Oktan çarpma fren sistemi • Havalı (pnömatik) fren sistemi
Arka Kapak	: Çok fonksiyonlu


TECHNICAL SPECIFICATIONS

Tyre size	: 125x80x15.3 • 305x70x19.5 • 400x60x15.5 tubeless
Piston size	: 720 mm, 2 - staged type • 660 mm, 3 staged type Chromium plated
Towing Eye	: Rotary and adjustable type
Jack	: Transmission type
Brake Mechanism:	Mechanical brake system (in parked position) Hydraulic brake system (oiled) Axle - hit brake system • Pneumatic brake system
End Cover	: Multi-functional

TP10200	5 ton	3500x2000x500mm kasa ebadlı (300+300mm ilaveli)
TP10210	6 ton	3700x2100x600mm kasa ebadlı (300+300mm ilaveli)
TP10220	8 ton	3800x2200x700mm kasa ebadlı (350+350mm ilaveli)

TP10200	5 ton	rated capacity with case dimensions; 3500x2000x500mm (with 300+300mm enlargement)
TP10210	6 ton	rated capacity with case dimensions; 3700x2100 x600mm (with 300+300mm enlargement)
TP10220	8 ton	rated capacity with case dimensions; 3800x2200x700mm (with 350+350mm enlargement)





TOPALAHMET
MAKİNA VE TARIM ALETLERİ SANAYİ VE TİCARET A.Ş.

Tek Dingilli Sac Kasa Standart Tip Damperli Römork

Standart type trailers, single axle, metal plate body with dumper
مقطورات قلابية مصنوعة من الصاج ذات محور أحادي نوع عادي



TEKNİK ÖZELLİKLER

Lastik	: 900x16 / 12.5x80x15.3
Piston	: 720 mm 2 kademe
Ok	: Dönerli
Kriko	: Dönerli ve ayarlanabilir
Fren Tertibatı	: Mekanik fren sistemi (park halinde) Hidrolik fren sistemi (yağlı) Oktan çarpma fren sistemi Havalı (pnömatik) fren sistemi

TECHNICAL SPECIFICATIONS

Tyre size	: 900x 16 / 11.5x80x15.3
Piston size	: 720 mm, 2 staged type
Towing Eye	: Rotary
Jack	: Rotary and adjustable
Brake Mechanism:	Mechanical brake system (in parked position) Hydraulic brake system (oiled) Axle - hit brake system Pneumatic brake system



TP10230	4 ton	3300x2000x420mm kasa ebadlı (300mm ilaveli)
TP10240	5 ton	3500x2000x500mm kasa ebadlı (300mm ilaveli)
TP10250	6 ton	3700x2100x500mm kasa ebadlı (300+300mm ilaveli)

TP10230	4 ton	rated capacity with case dimensions; 3300x2000x420mm (with 300mm enlarging)
TP10240	5 ton	rated capacity with case dimensions; 3500x2000x500mm (with 300mm enlarging)
TP10250	6 ton	rated capacity with case dimensions; 3700x2100x500mm (with 300+300mm enlarging)

Tek Dingilli Dört Tekerlekli Sac Kasa Standart Tip Damperli Römork

Standard type trailers, single axle with four wheels, metal plate body dumper

مقطورات قلابية مصنوعة من الصاج ذات محور أحادي نوع جديد



TEKNİK ÖZELLİKLER

Lastik	: 750x16 (12 kat) • 825x20 (12 kat)
Piston	: 720 mm 2 kademe • 640 mm - 3 kademe Krom kaplama
Ok	: Ayarlı ve dönerli
Kriko	: Şanzımanlı
Fren Tertibatı	: Mekanik fren sistemi (park halinde) Hidrolik fren sistemi (yağlı) Oktan çarpma fren sistemi • Havalı (pnömatik) fren sistemi
Arka Kapak	: Çok fonksiyonlu

TECHNICAL SPECIFICATIONS

Tyre size	: 750x16 (12 ply) • 825x20 (12 ply)
Piston size	: 720 mm, 2 staged type • 640 mm, 3 staged type Chromium plated
Towing Eye	: Rotary and adjustable type
Jack	: Transmission type
Brake Mechanism	: Mechanical brake system (in parked position) Hydraulic brake system (oiled) Axle - hit brake system • Pneumatic brake system
End Cover	: Multi-functional



TP10260	5 ton	3500x2000x500mm kasa ebadlı (300+300mm ilaveli)
TP10270	6 ton	3700x2100x600mm kasa ebadlı (300+300mm ilaveli)

TP10260	5 ton	rated capacity with case dimensions; 3500x2000x500mm (with 300+300mm enlargement)
TP10270	6 ton	rated capacity with case dimensions; 3700x2100x600mm (with 300+300mm enlargement)

İki Dingilli (Tandem) Sac Kasa Damperli Süper Römork

Super trailers, tandem axle, metal plate body with dumper
مقطورات قلابية مصنوعة من الصاج ذات محور مزدوج (مردف) نوع ممتاز



TEKNİK ÖZELLİKLER

Lastik	: 305x70x19.5 • 400x60x15.5 • 435x50x19.5 tubeless
Piston	: 400 mm 5 kademe • 400 mm 6 kademe • Krom kaplama
Ok	: Ayarlı ve dönerli
Kriko	: Şanzımanlı
Fren Tertibatı	: Mekanik fren sistemi (park halinde) Hidrolik fren sistemi (yağlı) Oktan çarpma fren sistemi • Havalı (pnömatik) fren sistemi
Arka Kapak	: Çok fonksiyonlu

TECHNICAL SPECIFICATIONS

Tyre size	: 305x70x19.5 • 400x60x15.5 • 435x50x19.5 tubeless
Piston size	: 400 mm, 5 staged type • 400 mm, 6 staged type • Chromium plated
Towing Eye	: Rotary and adjustable type
Jack	: Transmission type
Brake Mechanism	: Mechanical brake system (in parked position) • Hydraulic brake system (oiled) Axle - hit brake system • Pneumatic brake system
End Cover	: Multi-functional



TP10280	6 ton	4000x2200x500mm kasa ebadlı (300+300mm ilaveli)
TP10290	10 ton	4500x2200x600mm kasa ebadlı (350+350mm ilaveli)
TP10300	12 ton	4800x2200x600mm kasa ebadlı (350+350mm ilaveli)
TP10310	16 ton	5300x2300x800mm kasa ebadlı (400+400mm ilaveli)

TP10280	6 ton	rated capacity with case dimensions; 4000x2200x500mm (with 300+300mm enlargement)
TP10290	10 ton	rated capacity with case dimensions; 4500x2200x600mm (with 350+350mm enlargement)
TP10300	12 ton	rated capacity with case dimensions; 4800x2200x600mm (with 350+350mm enlargement)
TP10310	16 ton	rated capacity with case dimensions; 5300x2300x800mm (with 400+400mm enlargement)

Dönen Dingilli, Tandem Sac Kasa Damperli Süper Römork

Super trailers, rotating tandem axle, metal plate body with dumper
مقطورات قلابية مصنوعة من الصاج ذات محور مزدوج (مردف) نوع ممتاز



TEKNİK ÖZELLİKLER

Lastik	: 305x70x19.5 • 400x60x15.5 • 435x50x19.5 tubeless
Piston	: 400 mm 5 kademe • 400 mm 6 kademe • Krom kaplama
Ok	: Ayarlı ve dönerli
Arka Dingil	: Dönüş açısına göre ön ve geri manevralarda dönebilen
Kriko	: Şanzımanlı
Fren Tertibatı	: Mekanik fren sistemi (park halinde) • Hidrolik fren sistemi (yağlı) Oktan çarpma fren sistemi • Havalı (pnömatik) fren sistemi
Arka Kapak	: Çok fonksiyonlu

TECHNICAL SPECIFICATIONS

Tyre size	: 305x70x19.5 • 400x60x15.5 • 435x50x19.5 tubeless
Piston size	: 400 mm, 5 staged type • 400 mm, 6 staged type • Chromium plated
Towing Eye	: Rotary and adjustable type
Axle	: Rotating axle
Jack	: Transmission type
Brake Mechanism	: Mechanical brake system (in parked position) • Hydraulic brake system (oiled) Axle - hit brake system • Pneumatic brake system
End Cover	: Multi-functional

TP10320	6 ton	4000x2200x500mm kasa ebadlı (300+300mm ilaveli)
TP10330	10 ton	4500x2200x600mm kasa ebadlı (350+350mm ilaveli)
TP10340	12 ton	4800x2200x600mm kasa ebadlı (350+350mm ilaveli)
TP10350	16 ton	5300x2300x800mm kasa ebadlı (400+400mm ilaveli)

TP10320	6 ton	rated capacity with case dimensions; 4000x2200x500mm (with 300+300mm enlargement)
TP10330	10 ton	rated capacity with case dimensions; 4500x2200x600mm (with 350+350mm enlargement)
TP10340	12 ton	rated capacity with case dimensions; 4800x2200x600mm (with 350+350mm enlargement)
TP10350	16 ton	rated capacity with case dimensions; 5300x2300x800mm (with 400+400mm enlargement)



Küvet Tipi Tandem Damperli Römork

New type trailers, single axle, metal plate body with dumper
مقطورات قلابية مصنوعة من الصاج ذات محور أحادي نوع جديد



TEKNİK ÖZELLİKLER

Lastik	: 305x70x19.5 • 400x60x15.5 • 435x50x19.5 • 550x60x22.5 tubeless
Piston	: 400 mm 5 kademe • 400 mm 6 kademe • Krom kaplama
Ok	: Ayarlı ve dönerli
Arka Dingil	: Dönüş açısına göre ön ve geri manevralarda dönebilen
Kriko	: Şanzımanlı
Fren Tertibatı	: Mekanik fren sistemi (park halinde) • Hidrolik fren sistemi (yağlı) Oktan çarpma fren sistemi • Havalı (pnömatik) fren sistemi
Arka Kapak	: Çok fonksiyonlu

TECHNICAL SPECIFICATIONS

Tyre size	: 305x70x19.5 • 400x60x15.5 • 435x50x19.5 • 550x60x22.5 tubeless
Piston size	: 400 mm, 5 staged type • 400 mm, 6 staged type • Chromium plated
Towing Eye	: Rotary and adjustable type
Axle	: Rotating axle
Jack	: Transmission type
Brake Mechanism	: Mechanical brake system (in parked position) • Hydraulic brake system (oiled) Axle - hit brake system • Pneumatic brake system
End Cover	: Multi-functional



TP10360	6 ton	3700x2100x1200mm kasa ebadlı
TP10370	8 ton	3800x2200x1200mm kasa ebadlı

TP10360	6 ton	rated capacity with case dimensions; 3700x2100x1200mm
TP10370	8 ton	rated capacity with case dimensions; 3800x2200x1200mm

Küvet Tipi Tandem Damperli Römork

Super trailers, tandem axle, metal plate body with dumper
مقطورات قلابية مصنوعة من الصاج ذات محور مزدوج (مردف) نوع ممتاز



TEKNİK ÖZELLİKLER

Lastik	: 305x70x19.5 • 400x60x15.5 • 435x50x19.5 • 550x60x22.5 tubeless
Piston	: 400 mm 5 kademe • 400 mm 6 kademe • Krom kaplama
Ok	: Ayarlı ve dönerli
Arka Dingil	: Dönüş açısına göre ön ve geri manevralarda dönebilen
Kriko	: Şanzımanlı
Fren Tertibatı	: Mekanik fren sistemi (park halinde) • Hidrolik fren sistemi (yağlı) Oktan çarpma fren sistemi • Havalı (pnömatik) fren sistemi
Arka Kapak	: Çok fonksiyonlu


TECHNICAL SPECIFICATIONS

Tyre size	: 305x70x19.5 • 400x60x15.5 • 435x50x19.5 • 550x60x22.5 tubeless
Piston size	: 400 mm, 5 staged type • 400 mm, 6 staged type • Chromium plated
Towing Eye	: Rotary and adjustable type
Axle	: Rotating axle
Jack	: Transmission type
Brake Mechanism	: Mechanical brake system (in parked position) • Hydraulic brake system (oiled) Axle - hit brake system • Pneumatic brake system
End Cover	: Multi-functional



TP10380	10 ton	4500x2200x1200mm kasa ebadlı
TP10390	12 ton	4800x2200x1200mm kasa ebadlı
TP10400	15 ton	5300x2300x1500mm kasa ebadlı
TP10410	20 ton	6000x2400x1600mm kasa ebadlı

TP10380	10 ton	rated capacity with case dimensions; 4500x2200x1200mm
TP10390	12 ton	rated capacity with case dimensions; 4800x2200x1200mm
TP10400	15 ton	rated capacity with case dimensions; 5300x2300x1500mm
TP10410	20 ton	rated capacity with case dimensions; 6000x2400x1600mm



TOPALAHMET
MAKİNA VE TARIM ALETLERİ SANAYİ VE TİCARET A.Ş.

İki Dingilli, Önden Dönerli Damperli Römork

Trailers, two axle, metal plate and wooden body with/without dumper
مقطورات قلابية – غير قلابية مصنوعة من الصاج والخشب ذات محور مزدوج



TEKNİK ÖZELLİKLER

Lastik	: 125x80x15.3 • 285x70x19.5 • 400x60x15.5 tubeless 750x16 - 900x16 (12 kat) • 825x20 • 900x20 (14 kat)
Piston	: 800-900 mm 4 kademe • 400 mm 5 kademe • 400 mm 6 kademe
Ok	: 360° dönebilen
Fren Tertibatı	: Mekanik fren sistemi (park halinde) • Hidrolik fren sistemi (yağlı) Oktan çarpma fren sistemi • Havalı (pnömatik) fren sistemi
Arka Kapak	: Çok fonksiyonlu

TECHNICAL SPECIFICATIONS

Tyre size	: 125x80x15.3 • 285x70x19.5 • 400x60x15.5 tubeless 750x16 - 900x16 (12-ply) • 825x20 • 900x20 (14-ply)
Piston size	: 800-900 mm 4 staged type • 400 mm 5 staged type • 400 mm 6 staged type
Towing Eye	: 360° rotary type
Brake Mechanism	: Mechanical brake system (in parked position) • Hydraulic brake system (oiled) Axle - hit brake system • Pneumatic brake system
End Cover	: Multi-functional



TP10420	3 ton	3700x1900x450mm kasa ebadlı (300mm ilaveli)
TP10430	4 ton	4000x2000x500mm kasa ebadlı (300mm ilaveli)
TP10440	5 ton	4500x2100x600mm kasa ebadlı (300+300mm ilaveli)

TP10420	3 ton	rated capacity with case dimensions; 3700x1900x450mm (with 300mm enlargement)
TP10430	4 ton	rated capacity with case dimensions; 4000x2000x500mm (with 300mm enlargement)
TP10440	5 ton	rated capacity with case dimensions; 4500x2100x600mm (with 300+300mm enlargement)

İki Dingilli Sac ve Ahşap Kasa Damperli- Dampersiz Römork

Trailers, tandem axle, metal plate and wooden body with/without dumper
مقطورات قلابية – غير قلابية مصنوعة من الصاج والخشب ذات محور مزدوج



TEKNİK ÖZELLİKLER

Lastik	: 125x80x15.3 • 285x70x19.5 • 400x60x15.5 tubeless 750x16 - 900x16 (12 kat) • 825x20 • 900x20 (14 kat)
Piston	: 800-900 mm 4 kademe • 400 mm 5 kademe • 400 mm 6 kademe
Ok	: 360° dönebilen
Fren Tertibatı	: Mekanik fren sistemi (park halinde) • Hidrolik fren sistemi (yağlı) Oktan çarpma fren sistemi • Havalı (pnömatik) fren sistemi
Arka Kapak	: Çok fonksiyonlu

TECHNICAL SPECIFICATIONS

Tyre size	: 125x80x15.3 • 285x70x19.5 • 400x60x15.5 tubeless 750x16 - 900x16 (12-ply) • 825x20 • 900x20 (14-ply)
Piston size	: 800-900 mm 4 staged type • 400 mm 5 staged type • 400 mm 6 staged type
Towing Eye	: 360° rotary type
Brake Mechanism	: Mechanical brake system (in parked position) • Hydraulic brake system (oiled) Axle - hit brake system • Pneumatic brake system
End Cover	: Multi-functional



TP10450	3 ton	3700x1850x400mm kasa ebadlı (300mm ilaveli)
TP10460	4 ton	4000x2000x450mm kasa ebadlı (300mm ilaveli)
TP10470	5 ton	4500x2100x600mm kasa ebadlı (300+300mm ilaveli)
TP10480	10 ton	5000x2200x600mm kasa ebadlı (300+300mm ilaveli)
TP10490	14 ton	5200x2200x700mm kasa ebadlı (350+350mm ilaveli)

TP10450	3 ton	rated capacity with case dimensions; 3700x1850x400mm (with 300mm enlargement)
TP10460	4 ton	rated capacity with case dimensions; 4000x2000x450mm (with 300mm enlargement)
TP10470	5 ton	rated capacity with case dimensions; 4500x2000x500mm (with 300+300mm enlargement)
TP10480	8 ton	rated capacity with case dimensions; 4950x2000x600mm (with 300+300mm enlargement)
TP10490	10 ton	rated capacity with case dimensions; 6000x2200x700mm (with 300+300mm enlargement)

İki Dingilli Sac Kasa Sağa, Sola ve Arkaya Devirmeli Römork

Left, right and back tilting trailers, tandem axle, metal plate body
مقطورات قلابة إلى اليمين واليسار والخلف مصنوعة من الصاج ذات محور مزدوج



TEKNİK ÖZELLİKLER

Lastik	: 125x80x15.3 • 285x70x19.5 • 305x70x19.5 • 400x60x15.5 tubeless 750x16 - 900x16 (12 kat) • 825x20 • 900x20 (14 kat)
Piston	: 800-900 mm 4 kademe • 400 mm 5 kademe • 400 mm 6 kademe
Ok	: 360° dönebilen
Fren Tertibatı	: Mekanik fren sistemi (park halinde) • Hidrolik fren sistemi (yağlı) Oktan çarpma fren sistemi • Havalı (pnömatik) fren sistemi
Arka Kapak	: Çok fonksiyonlu

TECHNICAL SPECIFICATIONS

Tyre size	: 125x80x15.3 • 285x70x19.5 • 305x70x19.5 • 400x60x15.5 tubeless 750x16 - 900x16 (12-ply) • 825x20 • 900x20 (14-ply)
Piston size	: 800-900 mm 4 staged type 400 mm 5 staged type • 400 mm 6 staged type
Towing Eye	: 360° rotary type
Brake Mechanism	: Mechanical brake system (in parked position) • Hydraulic brake system (oiled) Axle - hit brake system • Pneumatic brake system
End Cover	: Multi-functional

TP10500	3 ton	3700x1850x400mm kasa ebadlı (300mm ilaveli)
TP10510	4 ton	4000x2000x450mm kasa ebadlı (300mm ilaveli)
TP10520	5 ton	4500x2100x600mm kasa ebadlı (300+300mm ilaveli)
TP10530	10 ton	5000x2200x600mm kasa ebadlı (300+300mm ilaveli)
TP10540	14 ton	5200x2200x700mm kasa ebadlı (350+350mm ilaveli)

TP10500	3 ton	rated capacity with case dimensions; 3700x1850x400mm (with 300mm enlargement)
TP10510	4 ton	rated capacity with case dimensions; 4000x2000x450mm (with 300mm enlargement)
TP10520	5 ton	rated capacity with case dimensions; 4500x2100x600mm (with 300+300mm enlargement)
TP10530	10 ton	rated capacity with case dimensions; 5000x2200x600mm (with 300+300mm enlargement)
TP10540	14 ton	rated capacity with case dimensions; 5200x2200x700mm (with 350+350mm enlargement)



İki Dingilli Sac Kasa Damperli Saman Römorku

Straw transport trailers, tandem axle, metal plate body with dumper
مقطورات نقل التبن قلابة مصنوعة من الصاج ذات محور مزدوج



TEKNİK ÖZELLİKLER

Lastik	: 750x16 - 900x16 (12 kat) • 825x20 (14 kat) • 125x80x15.3 tubeless
Piston	: 800-900 mm 4 kademe
Ok	: 360° dönebilen
Arka Kapı	: Sağa ve sola açılabilir, kilitlemeli
Saman Tentesi	: Seyyar olup, istenilen zamanda sökülebilir Tavanı 50 cm genişliğinde römork boyunca delikli sacdan imal
Fren Tertibatı	: Hidrolik fren sistemi (yağlı) Oktan çarpma fren sistemi • Havalı (pnömatik) fren sistemi

TECHNICAL SPECIFICATIONS

Tyre size	: 750x16 - 900x16 (12-ply) • 825x20 (14-ply) • 125x80x15.3 tubeless
Piston size	: 800-900 mm 4 staged type
Towing Eye	: 360° rotary type
Back Door	: Openable towards RHS and LHS, lockable
Hay Awning	: Being potable and removable when so desired. Its ceiling has been manufactured from perforated sheet metal in width of 50 cm throughout the whole length of its trailer.

Brake Mechanism: Hydraulic brake system (oiled) • Axle - hit brake system • Pneumatic brake system



TP10550	3 ton	3700x1850x400mm kasa ebadlı (300mm ilaveli)
TP10560	4 ton	4000x2000x450mm kasa ebadlı (300mm ilaveli)
TP10570	5 ton	4500x2000x500mm kasa ebadlı (300+300mm ilaveli)
TP10580	8 ton	4950x2000x600mm kasa ebadlı (300+300mm ilaveli)

TP10550	3 ton	rated capacity with case dimensions; 3700x1850x400mm (with 300mm enlargement)
TP10560	4 ton	rated capacity with case dimensions; 4000x2000x450mm (with 300mm enlargement)
TP10570	5 ton	rated capacity with case dimensions; 4500x2000x500mm (with 300+300mm enlargement)
TP10580	8 ton	rated capacity with case dimensions; 4950x2000x600mm (with 300+300mm enlargement)

Tek-Çift Dingil Santraförlü ve Santraförsüz Su Tankeri

Water tanker, single-tandem axle, centrifuge and non-centrifuge

صهريج ماء ذات دارة دائمة وغير دائمة بمحور حادي



TEKNİK ÖZELLİKLER

- Sac** : Siyah-Galvaniz (Ereğli Al) • Kromnikel (paslanmaz)
Fren Tertibatı : Mekanik fren sistemi (park halinde) • Hidrolik fren sistemi (yağlı)
Oktan çarpma fren sistemi • Havalı (pnömatik) fren sistemi
Çift dalga kıranlı
- Kuyruk milinden santraförlü motor seçeneği
 - 6 Hp -12 Hp benzinli yada mazotlu motor seçeneği
 - 2" olarak 9 dakikada 6 mt'den emiş yapabilme özelliği
 - 1" olarak 60 mt'ye tazyikli olarak su basma özelliği
 - Kazan altında vanalarla santrafüje direk geçiş sistemi

TECHNICAL SPECIFICATIONS

- Metal Sheet** : Black-Galvanized (Ereğli Al) • Chrome/Nickel-plated (stainless)
Brake Mechanism : Mechanical brake system (in parked position) • Hydraulic brake system (oiled)
Axle - hit brake system • Pneumatic brake system • Double breakwaters
- Centrifugal motor option from power take-off
 - A choice of either 6 HP - 12 HP gasoline or diesel engine
 - A 2 inch suction function feature from a distance of 6 m. in 9 min.
 - A 1 inch pressurized water injection up to a distance of 60 meters
 - Direct centrifugal operation transition means by the under - boiler valves



TP10590	2 ton	750x16 lastikli
TP10600	2.5 ton	750x16 lastikli
TP10610	3 ton	900x16 lastikli
TP10620	4 ton	900x16 lastikli
TP10630	5 ton	900x16 lastikli
TP10640	6 ton	825x16 lastikli
TP10650	8 ton	285x70x19.5 lastikli
TP10660	10 ton	285x70x19.5 lastikli

TP10590	2 ton	Over tyre size; 750x16
TP10600	2.5 ton	Over tyre size; 750x16
TP10610	3 ton	Over tyre size; 900x16
TP10620	4 ton	Over tyre size; 900x16
TP10630	5 ton	Over tyre size; 900x16
TP10640	6 ton	Over tyre size; 825x16
TP10650	8 ton	Over tyre size; 285x70x19.5
TP10660	10 ton	Over tyre size; 285x70x19.5

Çok Amaçlı Sulama Tankeri

Multi-purpose irrigation tanker
صهريج اطفاء الحريق ذات محور أحادي



TEKNİK ÖZELLİKLER

- Sac** : Siyah-Galvaniz (Ereğli Al) • Kromnikel (paslanmaz)
Fren Tertibatı : Mekanik fren sistemi (park halinde) • Hidrolik fren sistemi (yağlı)
Oktan çarpma fren sistemi • Havalı (pnömatik) fren sistemi
- Kuyruk milinden santrafüjlü motor seçeneği
 - 6 Hp -12 Hp benzinli yada mazotlu motor seçeneği
 - 9 dk. 6 mt. su çekme özelliği
 - 8 m emiş sistemli - dikte 30 mt basınçla su basma öz.
 - İstenilen ölçülerde hortum ve makara sistemi
 - Çift dalga kıranlı
 - Yatay eğime göre 200-400 mt basınçlı

TECHNICAL SPECIFICATIONS

- Metal Sheet** : Black-Galvanized (Ereğli Al) • Chrome/Nickel-plated (stainless)
Brake Mechanism: Mechanical brake system (in parked position)
Hydraulic brake system (oiled)
Axle - hit brake system • Pneumatic brake system
- Centrifugal motor option from power take-off
 - A choice of either 6 HP - 12 HP gasoline or diesel engine
 - Water extraction of 6 mt in 9 minutes
 - A feature of vertical pressurized water injection by a 8-meter suction system from a 30-meter distance
 - Hose and spool system at any sizes desired
 - Double water breakers
 - A 200-400 meter longitudinally inclined pressurized water



TP10670	3 ton	750x16 lastikli	TP10670	3 ton	Over tyre size; 750x16
TP10680	4 ton	750x16 lastikli	TP10680	4 ton	Over tyre size; 750x16
TP10690	5 ton	900x16 lastikli	TP10690	5 ton	Over tyre size; 900x16
TP10700	6 ton	900x16 lastikli	TP10700	6 ton	Over tyre size; 900x16

Tek Dingilli ve Sabit Özel Sayaçlı Akaryakıt Tankeri

Fuel tanker with special fuel counter single and fixed axle tank

صهريج الوقود السائلة ذات صاج خاص بمحور أحادي



TEKNİK ÖZELLİKLER

- Sac : Siyah-Galvaniz • Kromnikel (paslanmaz)
Fren Tertibatı : Mekanik fren sistemi (park halinde)
Hidrolik fren sistemi (yağlı)
Oktan çarpma fren sistemi
Havalı (pnömatik) fren sistemi
- 12-24 Volt çift pompa - Filtreli
- Otomatik tabanca
- Tekli mekanik sayaç

TECHNICAL SPECIFICATIONS

- Metal Sheet : Black-Galvanized • Chrome/Nickel-plated (stainless)
Brake Mechanism : Mechanical brake system (in parked position)
Hydraulic brake system (oiled)
Axle - hit brake system
Pneumatic brake system
- 12/24 Volt - double pump - Filter
- Automatic gun
- Single mechanic counter



TP10710	3 ton	900x16 lastikli
TP10720	4 ton	900x16 lastikli
TP10730	5 ton	900x16 lastikli
TP10740	7 ton	Sabit tank
TP10750	8 ton	Sabit tank
TP10760	10 ton	Sabit tank

TP10710	3 ton	Over tyre size; 900x16
TP10720	4 ton	Over tyre size; 900x16
TP10730	5 ton	Over tyre size; 900x16
TP10740	7 ton	Fixed Tank
TP10750	8 ton	Fixed Tank
TP10760	10 ton	Fixed Tank

Tek Dingilli veya Çift Dingilli Özel Yapım Vidanjör

Special design sewage vacuum truck, single or tandem axle
صهريج صناعة خاصة لسحب المياه القذرة ذات محور أحادي أو مزدوج



TEKNİK ÖZELLİKLER

Fren Tertibatı : Mekanik fren sistemi (park halinde)
Hidrolik fren sistemi (yağlı)
Oktan çarpma fren sistemi
Havalı (pnömatik) fren sistemi

- 4" emiş ve boşaltma sistemi
- Vakum pompalı
- 13 Hp diesel motorlu
- Marşlı
- Vakum sistemi temiz su ve atık su olarak iki bölmeden oluşmaktadır.

* Özellikler alıcıya bağlı olarak değişebilir

TECHNICAL SPECIFICATIONS

Brake Mechanism: Mechanical brake system (in parked position)
Hydraulic brake system (oiled)
Axle - hit brake system
Pneumatic brake system


- 4" suction and discharge system
- Vacuum pump
- 13 Hp diesel engine
- Starter Motor
- Vacuum system consisting of two chambers one for clean water and one for wastewater.

* Specifications may vary relying on the Buyer.



TP10770	4 ton	900x16 lastikli (tek dingil)
TP10780	5 ton	900x16 lastikli (tek dingil)
TP10790	7 ton	900x16 lastikli (çift dingil)
TP10800	10 ton	900x16 lastikli (çift dingil)

TP10770	4 ton	Over tyre size; 900x16 (single axle)
TP10780	5 ton	Over tyre size; 900x16 (single axle)
TP10790	7 ton	Over tyre size; 900x16 (double axle)
TP10800	10 ton	Over tyre size; 900x16 (double axle)



TOPALAHMET
MAKİNA VE TARIM ALETLERİ SANAYİ VE TİCARET A.Ş.

Tek-Çift Dingilli Sac Kasa Damperli-Dampersiz Çöp Taşıma Römorku

Garbage transport trailers, single- tandem axle, metal plate body with/without dumper

مقطورات نقل النفايات قلابة – غير قلابة مصنوعة من الصاج ذات محور أحادي ومزدوج



TEKNİK ÖZELLİKLER

Lastik	: 750x16 • 900x16
Piston	: 660 mm 2 kademe • 720 mm 2 kademe 800 mm 6 kademe
Ok	: Krom kaplama
Kriko	: Ayarlı ve dönerli
Fren Tertibatı	: Dönerli ve ayarlanabilir
	: Mekanik fren sistemi (park halinde)
	: Hidrolik fren sistemi (yağlı)
	: Oktan çarpma fren sistemi • Havalı (pnömatik) fren sistemi

TECHNICAL SPECIFICATIONS

Tyre size	: 750x16 (12 ply) • 825x20 (12 ply)
Piston size	: 640 mm, 2 staged type • 720 mm, 2 staged type, 800 mm, 4 staged type
Towing Eye	: Rotary and adjustable type
Jack	: Rotary and adjustable type
Brake Mechanism:	Mechanical brake system (in parked position) Hydraulic brake system (oiled) Axle - hit brake system • Pneumatic brake system

TP10810	3 ton	2900x1800mm kasa ebadlı
TP10820	3.5 ton	3000x1800mm kasa ebadlı
TP10830	4 ton	3200x2000mm kasa ebadlı
TP10840	6 ton	4500x2000mm kasa ebadlı (önden dönerli)

TP10810	3 ton	rated capacity with case dimensions; 2900x1800mm
TP10820	3.5 ton	rated capacity with case dimensions; 3000x1800mm
TP10830	4 ton	rated capacity with case dimensions; 3200x2000mm
TP10840	6 ton	rated capacity with case dimensions; 4500x2000mm (front rotary)



Askeri Karavanlar

Military Caravan



nurak
MAKİNA ve TARIM ALETLERİ ASKERİ
EKİPMANLARI İML. İÇ ve DİŞ TİC. LTD. ŞTİ.



- NRK20100** Ofis Karavanı / Office Caravan
- NRK20110** Yatakhane Karavanı / Dormitory Caravan
- NRK20120** Mutfak Karavanı / Kitchen Caravan
- NRK20130** Yemekhane Karavanı / Mess Hall Caravan
- NRK20140** Banyo-WC Karavanı / Bathroom-WC Caravan



Askeri Ekipmanlar Military Equipments



NRK20150

Dinamit Taşıma Römorkları
Dynamit Carriage Trailer



NRK20160

Mobil Aydınlatma Römorkları
Trailers of Mobile Lighting



NRK20170

Su Tankı (Krom-Nikel)
Water Tank (Chrome)



NRK20180

Araç Üstü Seyyar Tamirhane
Mobile Vehicle Repair



NRK20190

Yük Koyteyneri
Dry Cargo Containers

Nur-Ak Makina Ltd. Şti. bir TOPALAHMET A.Ş. kuruluşudur.
Nur-Ak Machine is a TOPALAHMET Inc. Co. enterprise.



NRK20200
Soğuk Hava Depo Römorku
Cold Air Cupboard Trailer



NRK20210
Seyyar Sahra Fırın Römorku
Mobile Barren Furnace Trailer



NRK20220 500 lb. **NRK20230** 2000 lb.
Bomba Paleti
Bomb Carriage Pallet



NRK20240
Tank Janti
Tank Wheel



NRK20250
Asker Kambet
Military Camp Bed



NRK20260
Askeri Ranza
Military Bunk

Diğer İmalatlarımız

Other Productions



Şantiyedeki
Eviniz
Your House
in Construction
Site



Özel Şantiye Karavanları / Construction Site Caravan

- NRK20280** Ofis Karavanı / Office Caravan
- NRK20290** Yatakhane Karavanı / Dormitory Caravan
- NRK20300** Mutfak Karavanı / Kitchen Caravan
- NRK20310** Yemekhane Karavanı / Mess Hall Caravan
- NRK20320** Banyo-WC Karavanı / Bathroom-WC Caravan



Nur-Ak Makina Ltd. Şti. bir TOPALAHMET A.Ş. kuruluşudur.
Nur-Ak Machine is a TOPALAHMET Inc. Co. enterprise.



NRK20330
Jeneratör Kabini
Generator Trailer



NRK20340
Cenaze Taşıma ve Yıkama Aracı
Funeral Washing and Morgue Trailer



NRK20350
Silindir Taşıma Römorku
Asphalt Roller Carrier Trailer



NRK20360
Hidrolikli Kablo Taşıma Römorku
Cable Drum Trailer



NRK20370
Tanıtım Aracı
Event Truck

Nesilden Nesile Topalahmet Mamülleri ile...

With Topalahmet Finished Products from Generation to Generation

مع معمولات توبال احمد جيلا بعد جيلا



TOPALAHMET

MAKİNA VE TARIM ALETLERİ SANAYİ VE TİCARET A.Ş.

TOPALAHMET MACHINES AND AGRICULTURE TOOLS INDUSTRY AND TRADE INC. CO.

شركة توبال احمد للمكانن والالات الزراعية والصناعة والتجارة المساهمة

Eskişehir Karayolu 63 Km. Polatlı - Ankara / TÜRKİYE Tel: +90(312) 648 01 03 - 354 80 91 Fax: +90(312) 648 01 13 - 354 80 96
info@topalahmet.com.tr www.topalahmet.com.tr